	L #	Search Text	DBs	Time Stamp	Hits
1	L1	mauro.in. and anthony.in.		2007/07/23 02:20	59
2	L2	willkie.in. and james.in.		2007/07/23 02:20	14
3	L3	qualcomm.asn.		2007/07/23 02:20	7690

	L	#	Search Text	DBs	Time Stamp	Hits
4	L4		L1 and L2 and L3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:20	0
5	L5		L1 and L2	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:20	1
6	L6		380/270.ccls.		2007/07/23 02:21	836

	L #	Search Text	DBs	Time Stamp	Hits
7	L 7	380/247.ccls.		2007/07/23 02:21	329
8	L8	380/28.ccls.		2007/07/23 02:21	1420
9	L 9	713/151.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:21	458

	L#	Search Text	DBs	Time Stamp	Hits
10	L10	7137164.CCIS.		2007/07/23 02:23	432
11	L11	713/165.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:23	662
12	L12	380/270.ccls. and (accelerating) near		2007/07/23 02:24	0

	L #	Search Text	DBs	Time Stamp	Hits
13	L13	380/247.ccls. and (accelerating) near (function)	1	2007/07/23 02:24	Ο
14	L14	380/28.ccls. and (accelerating) near (function)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:24	0
15	L15	713/151.ccls. and (accelerating) near (function)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:24	1

	L#	Search Text	DBs	Time Stamp	Hits
16	L16	713/164.ccls. and (accelerating) near (function)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:24	0
17	L17	713/165.ccls. and (accelerating) near (function)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:24	0
18	L18	(accelerating) near (function)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:25	1356

	L #	Search Text	DBs	Time Stamp	Hits
19	L19	(accelerating) near (function) near (software) near (application)		2007/07/23 02:25	0
20	L20	(software) near (application) near (multi) near (layer)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:25	1
21	L21	(multi-layer) near (protocol) near (voice data)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:25	2

	L #	Search Text	DBs	Time Stamp	Hits
22	L22	(software) near (application) and (complex layers)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:26	46640
23	L23	L21 and L22	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:26	0
24	L24	L18 and L22		2007/07/23 02:26	1,6

	L #	Search Text	DBs	Time Stamp	Hits
25	L25	L24 and (memory) near (processor) near (commands)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/07/23 02:26	0
26	L26	L24 and (memory) near (processor) near (commands)		2007/07/23 02:27	0
27	L27	L24 and (multi-layer) near (security) near (protocol)		2007/07/23 02:27	0
28	L28	(biometric or fingerprint\$3) with (password or "pin" or passphrase or passcode)	US- PGPUB; USPAT; EPO; JPO; DERWEN	2007/07/23 02:28	6300

	L #	Search Text	DBs	Time Stamp	Hits
29	L29	L21 and (biometric or fingerprint\$3) with (password or "pin" or passphrase or passcode)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/07/23 02:28	0
30	L30	(voice data) same strong adj3 (password or "pin" or passphrase or passcode)	US- PGPUB; USPAT; EPO; JPO; DERWEN	2007/07/23 02:28	81
31	L31		US- PGPUB; USPAT; EPO; JPO; DERWEN	2007/07/23 02:28	0

Interference Search

	Thomas amai				
	L#	Search Text	DBs	Time Stamp	Hits
32	L32	mobile AND device AND accelerating AND functioning AND "multi-layer.CLM"	US- PGPUB	2007/07/23 02:37	0
33	L33	mobile AND device AND accelerating AND functioning AND multi-layer.CLM.	US- PGPUB	2007/07/23 02:37	3
34	L34	mobile AND device AND accelerating AND functioning AND multi-layer AND processor AND complex AND layers.CLM.	US- PGPUB	2007/07/23 02:37	7
35	L35	mobile AND device AND accelerating AND functioning AND multi-layer AND processor AND complex AND layers AND high AND performance AND voice AND service AND option.CLM.	US- PGPUB	2007/07/23 02:38	0
36	L36	mobile AND device AND accelerating AND functioning AND multi-layer AND processor AND complex AND layers AND high AND performance AND memory AND command AND security.CLM.	US- PGPUB	2007/07/23 02:38	2
37	L37	mobile AND device AND accelerating AND functioning AND multi-layer AND processor AND complex AND layers AND high AND performance AND memory AND command AND security AND mathematical AND algorithm.CLM.	US- PGPUB	2007/07/23 02:38	1

	Comments
32	
32	
33	
34	
	•
35	
,	
36	
37	

	L #	Search Text	DBs	Time Stamp	Hits
38	L38	mobile AND device AND accelerating AND functioning AND multi-layer AND processor AND complex AND layers AND high AND performance AND memory AND command AND security AND mathematical AND algorithm AND digital AND signal AND processor.CLM.	US- PGPUB	2007/07/23 02:39	1
39	L39	mobile AND device AND accelerating AND functioning AND multi-layer AND processor AND complex AND layers AND high AND performance AND memory AND command AND security AND mathematical AND algorithm AND digital AND signal AND processor AND modular AND math.CLM.	ľ	2007/07/23 02:39	1
40	L40	mobile AND device AND accelerating AND functioning AND multi-layer AND processor AND complex AND layers AND high AND performance AND memory AND command AND security AND mathematical AND algorithm AND digital AND signal AND processor AND modular AND math AND exponentiation.CLM.	US- PGPUB	2007/07/23 02:39	1

	Comments						
38							
39							
40							

	L #	Search Text	DBs	Time Stamp	Hits
41	L41	mobile AND device AND accelerating AND functioning AND multi-layer AND processor AND complex AND layers AND high AND performance AND memory AND command AND security AND mathematical AND algorithm AND digital AND signal AND processor AND modular AND math AND exponentiation AND shared AND interrupt.CLM.	US- PGPUB	2007/07/23 02:39	1

Web Images Video News <u>Maps</u> <u>Gmail</u>

Sign in

Google

mobile, digital signal processor, voice, high pe Search

Advanced Search

Web Results 1 - 2 of 2 for mobile, digital signal processor, voice, high performance processor, shared men

Tip: Try removing quotes from your search to get more results.

Method and system to accelerate cryptographic functions for secure ... The device of claim 4 wherein the digital signal processor is further configured to ... processor via the shared memory, and the high performance processor ... www.freepatentsonline.com/20020146128.html - 44k - Cached - Similar pages

[PDF] Pervasive Computing Systems

File Format: PDF/Adobe Acrobat - View as HTML

First Generation Global Mobile Radio standard: 1G. o Only voice, No data ... processor

core while on batteries, leading to significant. power saving. ...

discovery.bits-pilani.ac.in/.../Pervasive%20Computing%20Systems-Rahul-Oct-2005-

Summar-Notes.pdf - Similar pages

Try Google Desktop: search your computer as easily as you search the web.

mobile, digital signal processor, voic Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

+multi-layer +security +protocol mobile device, digital signal (

the acm digital Library

Feedback Report a problem Satisfaction survey

Terms used:

multi layer security protocol mobile device digital signal processor shared memory voice

Found **107** of 207,474

Sort results by

relevance

Save results to a Binder

Try an Advanced Search

Try this search in The ACM Guide

Display results

expanded form

Open results in a new

window

Relevance scale 🔲 📟 📰 🛮

Results 1 - 20 of 107

Result page: 1 2 3 4 5 6

Commercially viable active networking

Stuart Eichert, Osman N. Ertugay, Dan Nessett, Suresh Vobbilisetty January 2002 ACM SIGOPS Operating Systems Review, Volume 36 Issue 1

Publisher: ACM Press

Full text available: R pdf(1.52 MB)

Additional Information: full citation, abstract, references, citings, index terms

Active Networking is a new technology receiving significant attention from the research community. To this point, however, it has not been examined from the perspective of commercial viability. This paper presents an analysis of active networking issues with a view to its possible uses in a commercial environment. It then describes a prototype system built to address these issues.

2 Session 31: secure systems: Software architecture exploration for high-performance



security processing on a multiprocessor mobile SoC

Divya Arora, Anand Raghunathan, Srivaths Ravi, Murugan Sankaradass, Niraj K. Jha, Srimat T. Chakradhar

July 2006 Proceedings of the 43rd annual conference on Design automation DAC '06 Publisher: ACM Press

Full text available: pdf(680.39 KB) Additional Information: full citation, abstract, references, index terms

We present a systematic methodology for exploring the security processing software architecture for a commercial heterogeneous multiprocessor system-on-chip (SoC) for mobile devices. The SoC contains multiple host processors executing applications and a dedicated programmable security processing engine. We developed an exploration methodology to map the code and data of security software libraries onto the platform, with the objective of maximizing the overall application-visible performance. Th ...

Keywords: computation offloading, software partitioning

Security on FPGAs: State-of-the-art implementations and attacks Thomas Wollinger, Jorge Guajardo, Christof Paar

August 2004 ACM Transactions on Embedded Computing Systems (TECS), Volume 3 Issue

Publisher: ACM Press

Full text available: pdf(296.79 KB) Additional Information: full citation, abstract, references, index terms

In the last decade, it has become apparent that embedded systems are integral parts of our every day lives. The wireless nature of many embedded applications as well as their omnipresence has made the need for security and privacy preserving mechanisms particularly important. Thus, as field programmable gate arrays (FPGAs) become integral parts of embedded systems, it is imperative to consider their security as a whole. This contribution provides a state-of-the-art description of security issues ...

Keywords: Cryptography, FPGA, attacks, cryptographic applications, reconfigurable hardware, reverse engineering, security

4 Conference abstracts

January 1977 Proceedings of the 5th annual ACM computer science conference CSC '77

Publisher: ACM Press

Full text available: pdf(3.14 MB) Additional Information: full citation, abstract, index terms

One problem in computer program testing arises when errors are found and corrected after a portion of the tests have run properly. How can it be shown that a fix to one area of the code does not adversely affect the execution of another area? What is needed is a quantitative method for assuring that new program modifications do not introduce new errors into the code. This model considers the retest philosophy that every program instruction that could possibly be reached and tested from the ...

5 Frontmatter (TOC, Letters, Election results, Software Reliability Resources!,

© Computing Curricula 2004 and the Software Engineering Volume SE2004, Software Reuse Research, ICSE 2005 Forward)

July 2005 ACM SIGSOFT Software Engineering Notes, Volume 30 Issue 4

Publisher: ACM Press

Full text available: pdf(6.19 MB)

Additional Information: full citation, index terms

Multimedia services: Seeking VoIP QoS in physical space

Robert A. Malaney, Ernesto Exposito, Xun Wei

September 2005 Proceedings of the 3rd ACM international workshop on Wireless mobile applications and services on WLAN hotspots WMASH '05

Publisher: ACM Press

Full text available: pdf(1.35 MB) Additional Information: full citation, abstract, references, index terms

In this report we introduce a "QoS Seeker" system for VoIP over 802.11b. QoS Seeker addresses the realistic situation where the QoS delivered to an end user's wireless VoIP application is a complex function of location and time. It attempts to dynamically inform the user of the location he should go to in order to obtain the optimal QoS for the current VoIP connection. To achieve its goals QoS Seeker continuously collects position information and VoIP QoS metrics - such as packet loss, packet de ...

Keywords: location, voice over IP, wireless networks

7 Wireless monitoring and denial of service: Channel surfing and spatial retreats:

defenses against wireless denial of service
Wenyuan Xu, Timothy Wood, Wade Trappe, Yanyong Zhang
October 2004 Proceedings of the 2004 ACM workshop on Wireless security WiSe '04
Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index

Full text available: pdf(327.10 KB)

terms

Wireless networks are built upon a shared medium that makes it easy for adversaries to launch denial of service (DoS) attacks. One form of denial of service is targeted at preventing sources from communicating. These attacks can be easily accomplished by an adversary by either bypassing MAC-layer protocols, or emitting a radio signal targeted at jamming a particular channel. In this paper we present two strategies that may be employed by wireless devices to evade a MAC/PHY-layer jamming-style wi ...

Keywords: CSMA, Jamming, denial of service

8 A comparison of MANETs and WMNs: commercial feasibility of community wireless



@ n

networks and MANETs

Sahibzada Ali Mahmud, Shahbaz Khan, Shoaib Khan, Hamed Al-Raweshidy
September 2006 Proceedings of the 1st international conference on Access networks
AcessNets '06

Publisher: ACM Press

Full text available: pdf(125.73 KB) Additional Information: full citation, abstract, references, index terms

In the past a lot of effort has been put into resolving some of the major challenges of AdHoc networks especially the added ones brought up by the mobility of nodes and the absence of infrastructure in MANETs. Unlike MANETs, Wireless Mesh Networks (WMNs) provide flexibility in terms of mobility i.e. Mesh clients can be stationary or mobile and can form a client mesh network among themselves and with mesh routers. WMNs make use of multiple radios and multiple channels per radio for increased capa ...

Keywords: community wireless networks, mobile ad-hoc networks, wireless mesh networks

9 Survey of recent operating systems research, designs and implementations



C. Mohan

January 1978 ACM SIGOPS Operating Systems Review, Volume 12 Issue 1

Publisher: ACM Press

Full text available: pdf(2.54 MB) Additional Information: full citation, references, citings

10 Networking: A unifying link abstraction for wireless sensor networks



Joseph Polastre, Jonathan Hui, Philip Levis, Jerry Zhao, David Culler, Scott Shenker, Ion Stoica

November 2005 Proceedings of the 3rd international conference on Embedded networked sensor systems SenSys '05

Publisher: ACM Press

Full text available: pdf(456.45 KB)

Additional Information: full citation, abstract, references, citings, index terms

Recent technological advances and the continuing quest for greater efficiency have led to an explosion of link and network protocols for wireless sensor networks. These protocols embody very different assumptions about network stack composition and, as such, have limited interoperability. It has been suggested [3] that, in principle, wireless sensor networks would benefit from a unifying abstraction (or "narrow waist" in architectural terms), and that this abstraction should be closer to the lin ...

Keywords: link protocols, network abstractions, network protocols, protocol architecture, wireless sensor networks

11 <u>Understanding fault-tolerant distributed systems</u>



Flavin Cristian

February 1991 Communications of the ACM, Volume 34 Issue 2

Publisher: ACM Press

Full text available: pdf(6.17 MB)

Additional Information: full citation, references, citings, index terms,

<u>review</u>

12 Very high-speed communication in large MIMD supercomputers





W. K. Giloi, W. Schroeder-Preikschat

June 1989 Proceedings of the 3rd international conference on Supercomputing ICS '89

Publisher: ACM Press

Full text available: pdf(1.22 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, index terms

The next generation of supercomputers will be largely parallel MIMD architectures, ranging in peak performance from 10 to 100 GFLOPS in the mid nineties to 1000 GFLOPS in the late nineties. Largely parallel means that such a system will consist of hundreds or thousands of processing nodes (PN), and each PN will have a peak performance of several hundred MFLOPS. Obtaining such an extremely high performance is not only an issue of appropriate node architecture but requires al ...

13 Experimental testbeds and data: Performance optimizations for wireless wide-area





networks: comparative study and experimental evaluation

Rajiv Chakravorty, Suman Banerjee, Pablo Rodriguez, Julian Chesterfield, Ian Pratt September 2004 Proceedings of the 10th annual international conference on Mobile computing and networking MobiCom '04

Publisher: ACM Press

Full text available: pdf(262.46 KB)

Additional Information: full citation, abstract, references, citings, index terms

We present a comparative performance study of a wide selection of optimization techniques to enhance application performance in the context of wide-area wireless networks (WWANs). Unlike in traditional wired and wireless IP-based networks, applications running over WWAN cellular environments are significantly affected by the vagaries of the cellular wireless medium. Prior research has proposed and analyzed optimizations at individual layers of the protocol stack. In contrast, we introduce the fi ...

Keywords: 3G, CDMA 2000, GPRS, HTTP, TCP, UMTS, cellular, cross-layer interactions, multi-layer performance optimizations, proxy

14 Novel interfaces: Display-agnostic hypermedia



Unmil P. Karadkar, Richard Furuta, Selen Ustun, YoungJoo Park, Jin-Cheon Na, Vivek Gupta, Tolga Ciftci, Yungah Park

August 2004 Proceedings of the fifteenth ACM conference on Hypertext and hypermedia HYPERTEXT '04

Publisher: ACM Press

Full text available: pdf(551.99 KB)

Additional Information: full citation, abstract, references, citings, index terms

In the diversifying information environment, contemporary hypermedia authoring and filtering mechanisms cater to specific devices. Display-agnostic hypermedia can be flexibly and efficiently presented on a variety of information devices without any modification of their information content. We augment context-aware Trellis (caT) by introducing two mechanisms to support display-agnosticism: development of new browsers and architectural enhancements. We present browsers that reinterpret existing c ...

Keywords: context-aware trellis (caT), display-agnostic hypermedia, multi-device integrated dynamic activity spaces (MIDAS)

15 Architecture exploration: A unified hardware/software runtime environment for FPGA-



based reconfigurable computers using BORPH

Hayden Kwok-Hay So, Artem Tkachenko, Robert Brodersen

October 2006 Proceedings of the 4th international conference on Hardware/software codesign and system synthesis CODES+ISSS '06

Publisher: ACM Press

Full text available: pdf(194.61 KB) Additional Information: full citation, abstract, references, index terms

This paper presents a hw/sw codesign methodology based on BORPH, an operating system designed for FPGA-based reconfigurable computers (RC's). By providing native kernel support for FPGA hardware, BORPH offers a homogeneous UNIX interface for both software and hardware processes. Hardware processes inherit the same level of service from the kernel, such as file system support, as typical UNIX software processes. Hardware and software components of a design therefore run as hardware and software p ...

Keywords: hardware process, reconfigurable computers

¹⁶ Mu3D: a causal consistency protocol for a collaborative VRML editor





Ricardo Galli, Yuhua Luo

February 2000 Proceedings of the fifth symposium on Virtual reality modeling language (Web3D-VRML) VRML '00

Publisher: ACM Press

Full text available: pdf(614.28 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper describes the implementation of the Mu3D application protocol and consistency control mechanisms to allow the collaborative editing of CAD design. The collaborative editor (M3D editor) developed by us is VRML compliant. The editor has been used as a base for the European Esprit project No. 26287 - M3D and the Spanish project TEL 96-0544/CODI for Cooperative CAD applications. In our system, only the changes to local databases are transmitted to other collaborative sessio ...

Keywords: CAD, VRML, architecture, distributed virtual environments, multicasting

17 Transport Layer Issues: TCP/IP performance over 3G wireless links with rate and



delay variation

Mun Choon Chan, Ramachandran Ramjee

September 2002 Proceedings of the 8th annual international conference on Mobile computing and networking MobiCom '02

Publisher: ACM Press

Full text available: pdf(317.14 KB)

Additional Information: full citation, abstract, references, citings, index terms

Wireless link losses result in poor TCP throughput since losses are perceived as congestion by TCP, resulting in source throttling. In order to mitigate this effect, 3G wireless link

designers have augmented their system with extensive local retransmission mechanisms. In addition, in order to increase throughput, intelligent channel state based scheduling have also been introduced. While these mechanisms have reduced the impact of losses on TCP throughput and improved the channel utilization, th ...

Keywords: 3G wireless, TCP, link and rate variation

18 TCP/IP Performance over 3G wireless links with rate and delay variation

Mun Choon Chan, Ramachandran Ramjee

January 2005 Wireless Networks, Volume 11 Issue 1-2

Publisher: Kluwer Academic Publishers

Full text available: pdf(456.91 KB) Additional Information: full citation, abstract, references, index terms

Wireless link losses result in poor TCP throughput since losses are perceived as congestion by TCP, resulting in source throttling. In order to mitigate this effect, 3G wireless link designers have augmented their system with extensive local retransmission mechanisms. In addition, in order to increase throughput, intelligent channel state based scheduling have also been introduced. While these mechanisms have reduced the impact of losses on TCP throughput and improved the channel utilization, th ...

Keywords: 3G wireless, TCP, ack regulator, link delay and rate variation, throughput model

19 Secure wireless protocols: An authentication framework for hierarchical ad hoc





sensor networks

Mathias Bohge, Wade Trappe

September 2003 Proceedings of the 2003 ACM workshop on Wireless security WiSe '03


Publisher: ACM Press

Full text available: pdf(263.78 KB) Additional Information: full citation, abstract, references, index terms

Recent results indicate scalability problems for flat ad hoc networks. To address the issue of scalability, self-organizing hierarchical ad hoc architectures are being investigated. In this paper, we explore the task of providing data and entity authentication for hierarchical ad hoc sensor networks. Our sensor network consists of three tiers of devices with varying levels of computational and communication capabilities. Our lowest tier consists of compute-constrained sensors that are unable to ...

Keywords: TESLA, ad hoc networks, authentication, handoff

20 Bibliography of recent publications on computer communication



July 1994 ACM SIGCOMM Computer Communication Review, Volume 24 Issue 3

Publisher: ACM Press

Full text available: pdf(1.15 MB) Additional Information: full citation, index terms

Results 1 - 20 of 107 Result page: 1 2 3 4 5 6 next

> The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((multi-layer security protocol, mobile, processor, shared memory)<in>metadata)" Your search matched 114698 of 1618078 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

((multi-layer security protocol, mobile, processor, shared memory)<in>metadata)

Search.

Check to search only within this results set

» Other Resources (Available For Purchase)

Top Book Results

The Cache Coherence Problem in Shared-Memory Multiprocessors by Tartalja, I.; Milutinović, V.; Paperback, Edition: 1

Low-Power CMOS Design by Chandrakasan, A.; Brodersen, R. W.; Hardcover, Edition: 1

Software Radio Technologies by Mitola, J.: Zvonar, Z.: Hardcover, Edition: 1

Performance Modeling for Computer Architects by Krishna, C. M.; Paperback, Edition: 1

RF Technologies for Low-Power Wireless Communications by Itoh, T.; Haddad, G.; Harvey, J.; Hardcover, Edition: 1

View All 68 Result(s)

view selected items

Select All Deselect All

View: 1-25 | 26-5

1. Experiences with software MPEG-2 video decompression on an SMP PC Bala, A.; Shah, D.; Wu-Chi Feng; Panda, D.K.;

Architectural and OS Support for Multimedia Applications/Flexible Communica Systems/Wireless Networks and Mobile Computing: Proceedings of the 1998 I

14 Aug. 1998 Page(s):29 - 36

Digital Object Identifier 10.1109/ICPPW.1998.721871

AbstractPlus | Full Text: PDF(56 KB) | IEEE CNF

Rights and Permissions

2. Efficient Synchronization for Embedded On-Chip Multiprocessors

Monchiero, M.; Palermo, G.; Silvano, C.; Villa, O.;

Very Large Scale Integration (VLSI) Systems, IEEE Transactions on

Volume 14, Issue 10, Oct. 2006 Page(s):1049 - 1062 Digital Object Identifier 10.1109/TVLSI.2006.884147

AbstractPlus | Full Text: PDF(1423 KB) IEEE JNL

Rights and Permissions

3. ESOW: parallel/distributed programming on the Web

Lopes, D.; Hammoudi, S.; Abdelouahab, Z.;

Database and Expert Systems Applications, 2002. Proceedings. 13th International Control of the C

2-6 Sept. 2002 Page(s):59 - 63

AbstractPlus | Full Text: PDF(265 KB) | IEEE CNF

Rights and Permissions

4. Proceedings 2000 International Conference on Parallel Processing

Engineering of Complex Computer Systems, 2000. ICECCS 2000. Proceeding

International Conference on

11-14 Sept. 2000

Digital Object Identifier 10.1109/ICECCS.2000.873949

AbstractPlus | Full Text: PDF(652 KB) IEEE CNF

Rights and Permissions

5. Cache-only memory architectures

Dahlgren, F.; Torrellas, J.;

Computer

Volume 32, Issue 6, June 1999 Page(s):72 - 79

Digital Object Identifier 10.1109/2.769448

Top Educational Courses

IP Multimedia Subsystem (IMS): Merging the Mobile and the Internet World by Varma, V.

Implementations of Computational Intelligence Techniques by Scotti, F.; Piuri, V.

Introduction to IEEE 802.16 by Cooklev, T.

SLAM--Simultaneous Localization and Mapping by Christensen, H.

Dynamically Adaptive Power Supply Circuits for Radio-Frequency (RF) Power Amplifier (PA) Applications

AbstractPlus | References | Full Text: PDF(140 KB) | IEEE JNL by Rincón-Mora, G. Rights and Permissions View All 8 Result(s) 6. Proceedings. 19th IEEE International Conference on Distributed Computi (Cat. No.99CB37003) » Key Distributed Computing Systems, 1999. Proceedings. 19th IEEE International C 31 May-4 June 1999 IEEE Journal or **IEEE JNL** Magazine Digital Object Identifier 10.1109/ICDCS.1999.776493 **IET JNL** IET Journal or Magazine AbstractPlus | Full Text: PDF(252 KB) | IEEE CNF Rights and Permissions IEEE CNF IEEE Conference Proceeding 7. Proceedings. 2005 International Conference on Parallel Processing **IET Conference IET CNF** Proceeding Parallel Processing, 2005. ICPP 2005. International Conference on 14-17 June 2005 IEEE STD IEEE Standard Digital Object Identifier 10.1109/ICPP.2005.2 Full Text: PDF(32 KB) IEEE CNF Rights and Permissions 8. Proceedings International Parallel and Distributed Processing Symposium Parallel and Distributed Processing Symposium, 2003. Proceedings. Internatio 22-26 April 2003 Digital Object Identifier 10.1109/IPDPS.2003.1213072 AbstractPlus | Full Text: PDF(476 KB) | IEEE CNF Rights and Permissions 9. Hierarchical power distribution and power management scheme for a sin Г processor Hattori, T.; Irita, T.; Ito, M.; Yamamoto, E.; Kato, H.; Sado, G.; Yamada, T.; Nis H.; Koike, T.; Tsuchihashi, Y.; Higashida, M.; Asano, H.; Hayashibara, I.; Tatez Shimazaki, S.; Morino, N.; Yasu, Y.; Hoshi, T.; Miyairi, Y.; Yanagisawa, K.; Hirc S.; Yoshioka, S.; Ishii, T.; Kanno, Y.; Mizuno, H.; Yamada, Tetsuy.; Irie, N.; Tsı Arai, N.; Akiyama, T.; Ohno, K.; Design Automation Conference, 2006 43rd ACM/IEEE 24-28 July 2006 Page(s):292 - 295 AbstractPlus | Full Text: PDF(2832 KB) | IEEE CNF Rights and Permissions 10. Evaluation of Mobile Ethernet switch on network processor Γ. Okubo, A.; Tsuzuki, M.; Hirano, Y.; Shimizu, K.; Kuroda, M.; High Performance Switching and Routing, 2004. HPSR. 2004 Workshop on 2004 Page(s):269 - 273 Digital Object Identifier 10.1109/HPSR.2004.1303485 AbstractPlus | Full Text: PDF(496 KB) IEEE CNF Rights and Permissions 11. Affinity scheduling of unbalanced workloads Subramaniam, S.; Eager, D.L.; Supercomputing '94. Proceedings 14-18 Nov. 1994 Page(s):214 - 226 Digital Object Identifier 10.1109/SUPERC.1994.344281 AbstractPlus | Full Text: PDF(836 KB) | IEEE CNF Rights and Permissions 12. Mobile Ravin: Intrusion Detection and Tracking with Organic Airport Rad Г **Systems** Mazel, D.S.; Barry, A.;

Oct. 2006 Page(s):30 - 33

Digital Object Identifier 10.1109/CCST.2006.313426

Carnahan Conferences Security Technology, Proceedings 2006 40th Annual I

AbstractPlus | Full Text: PDF(4714 KB) IEEE CNF Rights and Permissions

13. RISC processor based speech codec implementation for emerging mobil messaging solutions

Arora, M.; Babu, P.V.S.; Vinary, M.K.;

Digital Signal Processing, 2002. DSP 2002. 2002 14th International Conference

Volume 2, 1-3 July 2002 Page(s):831 - 834 vol.2

Digital Object Identifier 10.1109/ICDSP.2002.1028219

AbstractPlus | Full Text: PDF(388 KB) IEEE CNF

Rights and Permissions

14. SSM-MP: more scalability in shared-memory multi-processor

Iwasa, S.; Shung Ho Shing; Mogi, H.; Nozuwe, H.; Hayashi, H.; Wakamori, O.; Tanaka, K.; Sakai, H.; Saito, M.;

Computer Design: VLSI in Computers and Processors, 1995. ICCD '95. Proce-

IEEE International Conference on

2-4 Oct. 1995 Page(s):558 - 563

Digital Object Identifier 10.1109/ICCD.1995.528923

AbstractPlus | Full Text: PDF(508 KB) IEEE CNF

Rights and Permissions

15. Coherence controller architectures for scalable shared-memory multipro

Michael, M.M.; Nanda, A.K.; Beng-Hong Lim;

Computers, IEEE Transactions on

Volume 48, Issue 2, Feb. 1999 Page(s):245 - 255

Digital Object Identifier 10.1109/12.752666

AbstractPlus | References | Full Text: PDF(864 KB) | IEEE JNL

Rights and Permissions

16. Processor voltage scheduling for real-time tasks with non-preemptible se П

Fan Zhang; Chanson, S.T.;

Real-Time Systems Symposium, 2002. RTSS 2002. 23rd IEEE

3-5 Dec. 2002 Page(s):235 - 245

Digital Object Identifier 10.1109/REAL.2002.1181578

AbstractPlus | Full Text: PDF(950 KB) IEEE CNF

Rights and Permissions

17. Multiprocessor shared-memory information exchange

Santoline, L.L.; Bowers, M.D.; Crew, A.W.;

Nuclear Science, IEEE Transactions on

Volume 36, Issue 1, Part 1, Feb. 1989 Page(s):626 - 633

Digital Object Identifier 10.1109/23.34514

AbstractPlus | Full Text: PDF(600 KB) | IEEE JNL

Rights and Permissions

18. Parallel architectures for processing high speed network signaling proto Г

Ghosal, D.; Lakshman, T.V.; Yennun Huang;

Networking, IEEE/ACM Transactions on

Volume 3, Issue 6, Dec. 1995 Page(s):716 - 728

Digital Object Identifier 10.1109/90.477718

AbstractPlus | Full Text: PDF(1604 KB) | IEEE JNL

Rights and Permissions

19. Rsim: simulating shared-memory multiprocessors with ILP processors

Hughes, C.J.; Pai, V.S.; Ranganathan, P.; Adve, S.V.;

Computer

Г

Volume 35, Issue 2, Feb. 2002 Page(s):40 - 49

Digital Object Identifier 10.1109/2.982915

AbstractPlus | References | Full Text: PDF(143 KB) | IEEE JNL Rights and Permissions

20. Effect of data access delays and system partitionability on the dynamic r shared memory multiprocessor

Abraham, S.; Padmanabhan, K.; Supercomputing '92. Proceedings

16-20 Nov. 1992 Page(s):674 - 682

Digital Object Identifier 10.1109/SUPERC.1992.236635

AbstractPlus | Full Text: PDF(756 KB) | IEEE CNF

Rights and Permissions

21. Mobile phone GIS based on mobile SVG

Wu Binzhuo; Xia Bin;

Geoscience and Remote Sensing Symposium, 2005. IGARSS '05. Proceeding International

Volume 2, 25-29 July 2005 Page(s):4 pp.

Digital Object Identifier 10.1109/IGARSS.2005.1525253

AbstractPlus | Full Text: PDF(174 KB) | IEEE CNF

Rights and Permissions

22. Design of a hardware security-embedded multimedia mobile processor

Fukase, M.; Sato, Y.; Sato, T.;

Communications and Information Technology, 2004. ISCIT 2004. IEEE Internation Symposium on

Volume 1, 26-29 Oct. 2004 Page(s):362 - 367 vol.1 Digital Object Identifier 10.1109/ISCIT.2004.1412869

AbstractPlus | Full Text: PDF(781 KB) | IEEE CNF

Rights and Permissions

23. Dynamic SMP clusters with communication on the fly in NoC technology grain computations

Tudruj, M.; Masko, L.;

Parallel and Distributed Computing, 2004. Third International Symposium on/A and Tools for Parallel Computing on Heterogeneous Networks, 2004. Third Int Workshop on

5-7 July 2004 Page(s):97 - 104

Digital Object Identifier 10.1109/ISPDC.2004.20

AbstractPlus | Full Text: PDF(224 KB) | IEEE CNF

Rights and Permissions

24. A systolic array RLS processor

Asai, T.; Matsumoto, T.;

Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyı Volume 3, 15-18 May 2000 Page(s):2247 - 2251 vol.3

Digital Object Identifier 10.1109/VETECS.2000.851672

AbstractPlus | Full Text: PDF(412 KB) | IEEE CNF

Rights and Permissions

25. Improved optimal shared memory simulations, and the power of reconsic

Czumaj, A.; Meyer auf der Heide, F.; Stemann, V.;

Theory of Computing and Systems, 1995. Proceedings., Third Israel Symposiu

4-6 Jan. 1995 Page(s):11 - 19

Digital Object Identifier 10.1109/ISTCS.1995.377051

AbstractPlus | Full Text: PDF(724 KB) | IEEE CNF

Rights and Permissions

View: 1-25 | 26-5

indexed by inspect

Help Contact Us Privacy &: . © Copyright 2006 IEEE -